

Tsutomu NAKAMURA Q85753
 Filed February 8, 2005
 PNEUMATIC TIRE FOR TWO-
 WHEELED MOTOR VEHICLE
 1 of 8

10/523970

FIG.1





FIG.2



Tsutomu NAKAMURA Q85753

Filed February 8, 2005

PNEUMATIC TIRE FOR TWO-
WHEELED MOTOR VEHICLE

2 of 8

10/523970

FIG.3





FIG.4



10/523970

Tsutomu NAKAMURA Q85753

Filed February 8, 2005

PNEUMATIC TIRE FOR TWO-
WHEELED MOTOR VEHICLE

3 of 8

FIG.5




FIG.6




FIG.7





FIG.8



(ROTATIONAL
DIRECTION)



Tsutomu NAKAMURA Q85753

Filed February 8, 2005

PNEUMATIC TIRE FOR TWO-
WHEELED MOTOR VEHICLE

5 of 8

FIG.9





FIG.10



Tsutomu NAKAMURA Q85753

Filed February 8, 2005

PNEUMATIC TIRE FOR TWO-
WHEELED MOTOR VEHICLE

6 of 8

10/523970

FIG.11





FIG.12



Tsutomu NAKAMURA Q85753

Filed February 8, 2005

PNEUMATIC TIRE FOR TWO-
WHEELED MOTOR VEHICLE

7 of 8

FIG.13





FIG.14



Tsutomu NAKAMURA Q85753

Filed February 8, 2005

PNEUMATIC TIRE FOR TWO-
WHEELED MOTOR VEHICLE

8 of 8

FIG.15




FIG.16

